1.0 GENERAL

.1 References

- .1 BC Integrated Pest Management Act https://www.bclaws.gov.bc.ca/civix/document/id/complete/statreg/00_03058_01
- .2 Canadian Landscape Standard Section 12 Hardscapes.

2.0 GENERAL PERFORMANCE REQUIREMENTS

.1 Locations and Types of Aggregates

- .1 Aggregate Surfacing includes:
 - .1 Type 1: Roadways, parking lots, and areas subject to vehicular traffic.
 - .2 Type 2: Cart paths, walkways, and bike paths subject to light maintenance traffic.
 - .3 Type 3: Walking and bicycle paths, subject to pedestrian traffic only.
- .2 Coarse Aggregate:
 - .1 Aggregate retained on the No. 8 sieve.
- .3 Type 2 and 3 examples:
 - .1 7-9.5 mm crushed limestone with bonding agent.
 - .2 7-9.5 mm crushed limestone without bonding agent.
 - .3 7-9.5 mm crushed granite with bonding agent.
 - .4 7-9.5mm crushed granite without bonding agent.
 - .5 19 mm in road base.
- .4 Dry Seed:
 - .1 Fine aggregates spread over cured surface for loose texture.
- .5 Leveling Course:
 - .1 A course of 19 mm minus clean crushed gravel of variable thickness used to eliminate irregularities in the contour of an existing surface prior to placing the subsequent course.
- .6 Supplemental Fine Aggregate:
 - .1 Aggregate passing the no. 30 sieve.
- .7 Wet Seed:

.1 Fine aggregates spread over recently placed materials and compacted into layer for the purpose of texturizing or modifying surface finish.

.2 Use of Herbicide

- .1 BCIT discourages the use of herbicides. Use of any herbicide needs to be requested to and approved by the BCIT Manager Transportation and Grounds or designate before scope of work is defined and awarded.
- .2 Any herbicide use or application must follow the Integrated Pest Management Act https://www.bclaws.gov.bc.ca/civix/document/id/complete/statreg/00_03058_01

*** END OF AGGREGATE SURFACING SECTION ***