




## BCIT COVID-19 SAFETY PLAN ACADEMIC SPACES

The BCIT COVID-19 Go-Forward Plan outlines the risk assessments, control measures, and the organizational process for our safe return to campus. All returning programs/courses must adhere to this process. Please refer to the [BCIT COVID-19 Go-Forward Plan](#) for additional information.

### CONTACT INFORMATION

<b>Course/Program Name:</b>	<b>Automated Controls Installation and Maintenance (ACIM) and PTS Courses</b>		
<b>Proportion of program offered on campus:</b>	30 hours per each course		
<b>Start date:</b>	September 14, 2020	<b>End date:</b>	April 30, 2021
<b># of students:</b>	6 for SE1 - 116, 203, 204, and 210 16 for SE1 - 109	<b># of employees:</b>	1
<b>Completed by:</b>	Name Ted Simmons	Position Department Head	Date August 20, 2020



### ROOM INFORMATION

In this section, please identify all of the rooms that will be used by this returning program/course. NOTE: Common areas are covered by the BCIT COVID-19 Go-Forward Plan.			
Campus/ Building	Room Number <small>Floor Plans found <a href="#">here</a></small>	Type of Space <small>Include washrooms and breakout rooms</small>	Capacity <small>Current capacity due to COVID-19</small>
BBY/SE1 - 116, 203, 204, and 210		Labs	6
BBY/SE1 - 127, 129, 151,152, and 234		Washrooms	1
BBY/SE1 - 109		Lecture Hall for exams	16

### RATIONALE FOR ON-CAMPUS ACTIVITY

Please provide a short description explaining the need for students to be on campus. Your narrative should be focused on the practical elements of the program or activity that are critical to achieving learning outcomes, and why on campus components cannot be replicated in an online or alternative environment (e.g. student bringing learning equipment home).

Students are wiring equipment, which is connected to the BCIT infrastructure and is physically too large to be relocated. The students need to have the hands-on practical experience and complete lab projects to achieve the course learning outcomes.

### CONTROL MEASURES

#### COVID-19 SAFETY PLAN: CONTROL MEASURES CHECKLIST

##### Directions for completing a Safety Plan:

1. First step of this process is to review the [BCIT COVID-19 Go-Forward Plan](#) as the overall planning document for this process.
2. Use this checklist as a tool to assess COVID-19 control measure preparedness for students and employees and the spaces they will be using. Refer to the [BCIT COVID-19 Go-Forward Plan](#) for standardized safety guidelines and procedures.
3. For each control measure, state the details. If the control measure is a 'No' or 'NA', please provide a brief explanation.
4. The manager requests all PPE requirements by submitting this draft Safety Plan to the [PPE@bcit.ca](mailto:PPE@bcit.ca).
5. Implement all the safety measures in this Safety Plan.
6. The manager completes a site visit to ensure all control measures and safety supplies are in place.
7. The manager signs the completed Safety Plan and submits it to [returntocampus@bcit.ca](mailto:returntocampus@bcit.ca) for approval.
8. Once approved, the COVID-19 Safety Plan is posted in all work areas identified within this plan.

Note: The workspaces cannot be used until all applicable control measures are in place and Safety Plan is approved. For additional resources the [Risk Assessment Controls Guidance and Hierarchy of Controls](#). For assistance email [ssemohs@bcit.ca](mailto:ssemohs@bcit.ca).

## COVID-19 SAFETY PLAN ACADEMIC SPACES

#	Control Measure	Yes	No	NA	Details (as per Directions)
<b>ELIMINATION</b>					
1.	Room(s) set up to allow for 2 metres physical distancing during instruction and practice. <b>Note:</b> Contact <a href="mailto:returntocampus@bcit.ca">returntocampus@bcit.ca</a> for room capacity and layout if needed.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Exceptions allowed as per <a href="#">BCIT COVID-19 Go-Forward Plan</a> , Risk Matrix Summary (explain):
2.	Demonstration, work and assessment stations are set-up to allow for 2 metres physical distancing.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Exception allowed as per <a href="#">BCIT COVID-19 Go-Forward Plan</a> , Risk Matrix Summary (explain):
3.	Identified area(s) where students wait outside of teaching space until allowed inside by instructor.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4.	Work has been scheduled to minimize numbers of individuals on campus at one time.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5.	In shared spaces, safety protocols have been put in place to reduce close contact between users.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6.	Movement within the room is identified, such as with directional arrows, for walkways and entrances/exits.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Signs or arrows on the floor identifying directions.
7.	Water fountains are put out of service, and only touchless water bottle filling station available.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
8.	Mobile fans have been removed or put out of service.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
7.	Washrooms have been identified.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If yes, Washroom occupancy limit <u>1</u> _____
8.	Break area(s) for student use have been identified.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	If yes, what control measures are in place to maintain physical distancing? Occupancy Limit _____ If there is an occupancy limit, is sign posted? Y <input type="checkbox"/> N <input type="checkbox"/>
9.	Break areas for employee use have been identified.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If yes, what control measures are in place to maintain physical distancing? Occupancy Limit <u>4</u> _____ If there is an occupancy limit, is sign posted? Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
10.	Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>ENGINEERING CONTROL MEASURES</b>					
11.	<a href="#">Barriers</a> are implemented to separate work areas or walk ways, when physical distancing not practical.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
12.	Barriers are stable and do not introduce other safety hazards, e.g. tripping.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
13.	The impact on ventilation requirements have been considered if there's been a significant use change for the instructional space.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Complete a <a href="#">Facilities and Campus Development work requisition</a> for assessment, as needed.
	Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

## COVID-19 SAFETY PLAN ACADEMIC SPACES

#	Control Measure	Yes	No	NA	Details (as per Directions)
<b>SIGNAGE (ADMINISTRATIVE)</b> Signage is available @ <a href="#">BCIT online Inventory</a> . Guidelines for posting signs are available on <a href="#">ShareSpace</a> .					
13.	Posted: Physical distancing (2 m) sign(s) Item 1A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
14.	Posted: Hand washing sign(s) Item 29B	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
15.	Posted: Health screen sign(s) Item 3C	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
16.	Posted: Hand washing sink location sign(s) Item 14A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
17.	Posted: Hand sanitizing station location sign(s) Item 13A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
18.	Posted: Protect yourself sign(s) Item 21A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
19.	Posted: Occupancy limit of this room sign(s) Item 37A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
20.	Posted: Other signs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>Please list:</i>
<b>ORIENTATION AND TRAINING (ADMINISTRATIVE)</b>					
21.	Routine safety discussions held to review control measures and safety protocols.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
22.	All students have completed the online <a href="#">COVID-19 Pandemic On-Campus Guidelines</a> training.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>How will compliance be checked:</i>
23.	COVID-19 safety Site orientation for students has been developed and posted in the Learning Hub.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>Procedure for orientation found <a href="#">here</a>. Student COVID-19 Orientation Checklist found <a href="#">here</a>.</i>
24.	All employees have completed the online <a href="#">BCIT Pandemic Exposure Control Plan Training</a> .	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
25.	All employees have completed the online <a href="#">New Employee Orientation module</a> .	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>New and Returning Employee Orientation Checklist found <a href="#">here</a>. Each employee to save the checklist to their online New Employee Orientation course</i>
26.	Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>RULES AND GUIDELINES (ADMINISTRATIVE)</b>					
27.	All unnecessary and self-serve items have been removed from the spaces. <i>e.g., pens, paper, etc.</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>All supplies asked for prior to class and stocked at each workspace</i>
28.	Doors that students are to use to enter and exit have been clearly identified.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>Signs or arrows on the floor</i>
29.	Handouts, papers, and items are not physically provided to students.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>For paper-based exams the instructor sanitizes there hands before touching the exams. The instructor places the exams on the desks before students enter the classroom. Upon completion the students place the exam in the drop box provided. The exams sit for 3</i>

## COVID-19 SAFETY PLAN ACADEMIC SPACES

#	Control Measure	Yes	No	NA	Details (as per Directions)
					<i>days in the box before they are marked or the instructor can mark by sanitizing their hands before and after marking the exams.</i>
30.	Students have dedicated tools/equipment, e.g., items are not shared between students.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
31.	If cleaning common touch points or tools/equipment not practical, then it is identified when hands are washed/sanitized before and after use.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>Explain: Tools and equipment will be disinfected after each use and students will wash hands both before and after they share or use common tools.</i>
32.	Work spaces/stations are dedicated for an individual or group use and not shared with others.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
33.	Single-use (disposable) products are used where feasible.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
34.	Measures are in place to accommodate student sick at home.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>Accommodation plan: Students will be permitted to attend to attend make up classes.</i>
35.	Procedures in place to screen students on a daily basis.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>The <a href="#">health screen</a> poster is available for reference and is posted on building doors. Students and employees are expected to self assess daily, and the <a href="#">BCCDC self-assessment tool</a> can be used to support this.</i>
36.	There is a procedure in place if a student or employee becomes ill on campus.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>Refer to the <a href="#">COVID-19 Pandemic Scenario Playbook</a> for more information. If the person is reporting symptoms, ask them to avoid others and return home. If they require immediate medical attention, call First Aid and 911.</i>
37.	There are procedures in place if a student or employee travels before coming to campus, or has been in close contact with someone who has tested positive for COVID-19.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>Refer to the <a href="#">COVID-19 Pandemic Scenario Playbook</a> for more information. Confirm if the person is aware of self-isolation <a href="#">requirements</a> and <a href="#">protocols</a>.</i>
38.	Provisions made for students to maintain same lab/class cohort throughout the Term.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
39.	Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>PERSONAL PROTECTIVE EQUIPMENT (PPE). Refer to the <a href="#">PPE Flowchart</a> to determine what PPE is required for COVID-19 purposes.</b>					
40.	Appropriate PPE for the hazards of employee and student tasks are available to be provided (non-COVID-19 related ppe).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>List the ppe and tasks/activities it is required for, and provide the quantity and unit of measure, if applicable (e.g. 2 boxes of 20 each box): Masks and Safety glasses will be provided for situations where 2m separation is not possible. 1 box of 20 masks per day should be sufficient.</i>
41.	Training is provided for the above PPE to students and employees.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

## COVID-19 SAFETY PLAN ACADEMIC SPACES

#	Control Measure	Yes	No	NA	Details (as per Directions)
42.	<a href="#">Appropriate PPE for COVID-19</a> is available to be provided to students and employees. Supply requests emailed to <a href="mailto:ppe@bcit.ca">ppe@bcit.ca</a> .	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Based on circumstances allowed for in the <a href="#">BCIT COVID-19 Go-Forward Plan, Risk Assessment Matrix Summary</a> . List PPE and tasks/activities required for and provide the quantity and unit of measure, if applicable. 1 box of 20 masks per day should be sufficient
43.	PPE safe <a href="#">donning, doffing, disposal, and disinfecting instructional</a> materials are available for students and employees.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Post applicable signs in a visible location if ppe required. Use the <a href="#">Student Orientation checklist</a> to assist orientation/training by instructors. Use the <a href="#">Employee Orientation checklist</a> to assist orientation/training by their supervisors.
44.	Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>CLEANING</b>					
45.	Facilities is aware of the cleaning needs for the area. Facilities work requests have been submitted.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cleaning includes common touch points and appropriate frequency for the area. This includes high touch areas. Provide FCD work request number(s).
46.	Training will be provided to faculty and students performing cleaning duties and cleaning materials have been provided.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cleaning Standard Operating Procedures have been located <a href="#">here</a> . What are the cleaning products/materials: Cleace hand sanitizer and EP666 disinfectant.  What ppe is required: masks and gloves.
47.	Assessment of sufficient number of hand wash stations conducted, and an appropriate number of handwashing stations are available	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Consider time it will take for hand washing to take place, to determine what is e.a. sufficient number of hand wash stations. Some areas find a ratio of 8:1, students to sink, effective. The minimum amount of hand washing required is once before class starts, after class ends and before and after breaks.
48.	Handwashing station(s), stocked, easily accessed, and have been identified to students and employees.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sink Location: 127, 129, 151, 152, and 234. Stocked with soap Y <input checked="" type="checkbox"/> N <input type="checkbox"/> paper towel Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
49.	Hand sanitizing station(s), stocked, and have been identified to students and employees.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<b>ABHS (Alcohol-Based Hand Sanitizer):</b> Location(s) <b>At entrance area to each room.</b>  Will hand sanitizer be refilled by department: Y <input type="checkbox"/> N <input checked="" type="checkbox"/> If No, describe:
50.	All Safety Data Sheets (SDS) and cleaning procedures used are found <a href="#">here</a> .	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If not, describe:
51.	The area(s) have been decluttered so that cleaning is simplified.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
52.	Barrier cleaning process has been arranged if the barrier(s) could become contaminated.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Barriers can become contaminate if they are a touch point or if the contaminated with droplets by e.g. coughing or sneezing.



## COVID-19 SAFETY PLAN ACADEMIC SPACES

#	Control Measure	Yes	No	NA	Details (as per Directions)
53.	Common touch points and tools/equipment that must be shared are identified and cleaned between students and classes.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>Cleaning/sanitizing procedures for common touch points and shared items are posted e.g. shared machinery, equipment, tools, etc. Identify who will clean and how often (e.g. staff and/or students): Staff and / or students will clean tools after each use.</i>
54.	Storage space for personal articles have been identified and are cleaned regularly.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<i>Who will clean:  Where is the storage:</i>
55.	Other:	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
<b>AUDIT AND CONTINUOUS IMPROVEMENT</b>					
56.	There is a plan to conduct <a href="#">regular inspections</a> of all control measures and safety protocols to ensure they are in place.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>Ensure this COVID-19 Safety Plan is posted. Who will conduct these inspections and how often? Instructor and Department Head will audit on a daily basis.</i>
57.	<a href="#">Audits of inspections</a> are planned to ensure that control measures continue to be effective.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>Who conduct the audits and how often? Associate Dean will conduct monthly audits of inspections.</i>

### APPROVAL

All COVID-19 risk control measures for this campus activity are in place.			
<b>Manager</b>	Name James Cai	Position Associate Dean	Date November 05, 2020
<b>EOC</b>	Name <i>Glen Magel</i>	Position: EOC Director	Date November 8, 2020

# BCIT COVID-19 SAFETY PLAN ACADEMIC SPACES

## SE01-109 Lecture Theatre

Notes: Suggested capacity of 16 can be achieved, with addition of noted barriers. Barriers in this setting are not typically recommended due to potential visual obstruction, therefore this configuration may not appropriate for activity other than testing.

Legend:

- Barrier (acrylic or other style panel)
- Recommended walk path
- $\approx 2m$

